

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A game system performing image generation, comprising:

a memory which stores a program and data for image generating; and

at least one processor which is connected to the memory and performs processing for image generating,

the processor comprising:

an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and

a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer;

and

wherein into the frame buffer, the frame buffer drawing section draws a primitive surface of which drawing positions are specified based on three-dimensional information of the object and on which the image of the geometry-processed object drawn in the intermediate buffer is texture-mapped.
2. (Canceled).
3. (Currently Amended) The game system according to ~~claim 2~~claim 1,

wherein when a plurality of primitive surfaces corresponding to a plurality of objects are to be drawn into the frame buffer, the frame buffer drawing section performs hidden-surface removal between the primitive surfaces based on the depth values of the respective primitive surfaces.

4. (Currently Amended) The game system according to ~~claim 2~~claim 1, wherein the frame buffer drawing section draws a plurality of primitive surfaces of which drawing positions are specified based on the three-dimensional information of one object into the frame buffer, and makes images texture-mapped over the plurality of primitive surfaces different from one another.

5. (Currently Amended) ~~The game system according to claim 1, further comprising~~ A game system performing image generation, comprising:
a memory which stores a program and data for image generating; and
at least one processor which is connected to the memory and performs processing for image generating,
the processor comprising:
an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer;
a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer;
and
an image effect section which performs a given image effect processing on the image on the intermediate buffer before the image drawn in the intermediate buffer is drawn in the frame buffer.

6. (Currently Amended) ~~The game system according to claim 1, further comprising~~ A game system performing image generation, comprising:
a memory which stores a program and data for image generating; and
at least one processor which is connected to the memory and performs processing for image generating,

_____ the processor comprising:

_____ an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer;

_____ a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer;

and

_____ an image synthesizing section which synthesizes an image drawn in the intermediate buffer at a present frame with another image drawn in the intermediate buffer at a past frame before the image drawn in the intermediate buffer is drawn in the frame buffer.

7. (Currently Amended) ~~The game system according to claim 1, further comprising~~ A game system performing image generation, comprising:

_____ a memory which stores a program and data for image generating; and

_____ at least one processor which is connected to the memory and performs processing for image generating,

_____ the processor comprising:

_____ an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer;

_____ a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer;

and

_____ an image synthesizing section which synthesizes an image drawn in the intermediate buffer with another image drawn in the frame buffer before the image drawn in the intermediate buffer is drawn in the frame buffer.

8. (Currently Amended) ~~The game system according to claim 1,~~ A game system performing image generation, comprising:

a memory which stores a program and data for image generating; and
at least one processor which is connected to the memory and performs processing for image generating,

the processor comprising:

an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and

a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer,

wherein the intermediate buffer drawing section draws the image of the geometry-processed object in the intermediate buffer for ~~each discrete frame,~~ each two-frame or each M-frame ($M \geq 3$).

9. (Currently Amended) The game system according to claim 8,
wherein when the images of plural geometry-processed objects are drawn in the intermediate buffer, the intermediate buffer drawing section draws an image of ~~the~~ a K-th object in the intermediate buffer at ~~the~~ a N-th frame and draws an image of ~~the~~ a L-th object in the intermediate buffer at ~~the~~ a (N+1)-th frame without drawing the image of the K-th object in the intermediate buffer.

10. (Currently Amended) ~~A computer-usable~~ computer program embodied on an information storage medium ~~or in a carrier wave,~~ the program comprising a processing routine for a computer to realize:

an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and

a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer, and

wherein into the frame buffer, the frame buffer drawing section draws a primitive surface of which drawing positions are specified based on three-dimensional information of the object and on which the image of the geometry-processed object drawn in the intermediate buffer is texture-mapped.

11. (Canceled).

12. (Currently Amended) The program according to ~~claim 11~~claim 10,

wherein when a plurality of primitive surfaces corresponding to a plurality of objects are to be drawn into the frame buffer, the frame buffer drawing section performs hidden-surface removal between the primitive surfaces based on the depth values of the respective primitive surfaces.

13. (Currently Amended) The program according to ~~claim 11~~claim 10,

wherein the frame buffer drawing section draws a plurality of primitive surfaces of which drawing positions are specified based on the three-dimensional information of one object into the frame buffer, and makes images texture-mapped over the plurality of primitive surfaces different from one another.

14. (Currently Amended) ~~The program according to claim 10, further comprising a processing routine for a computer to realize~~A computer program embodied on an information storage medium, the program comprising a processing routine for a computer to realize:

an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer;

_____ a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer;

and

_____ an image effect section which performs a given image effect processing on the image on the intermediate buffer before the image drawn in the intermediate buffer is drawn in the frame buffer.

15. (Currently Amended) ~~The program according to claim 10, further comprising a processing routine for a computer to realize~~ A computer program embodied on an information storage medium, the program comprising a processing routine for a computer to realize:

an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer;

_____ a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer;

and

_____ an image synthesizing section which synthesizes an image drawn in the intermediate buffer at a present frame with another image drawn in the intermediate buffer at a past frame before the image drawn in the intermediate buffer is drawn in the frame buffer.

16. (Currently Amended) ~~The program according to claim 10, further comprising a processing routine for a computer to realize~~ A computer program embodied on an information storage medium, the program comprising a processing routine for a computer to realize:

an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer;

a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer;
and

an image synthesizing section which synthesizes an image drawn in the intermediate buffer with another image drawn in the frame buffer before the image drawn in the intermediate buffer is drawn in the frame buffer.

17. (Currently Amended) ~~The program according to claim 10,~~ A computer program embodied on an information storage medium, the program comprising a processing routine for a computer to realize:

an intermediate buffer drawing section which temporarily draws an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and

a frame buffer drawing section which draws the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer,
and

wherein the intermediate buffer drawing section draws the image of the geometry-processed object in the intermediate buffer for ~~each discrete frame,~~ each two-frame or each M-frame($M \geq 3$).

18. (Currently Amended) The program according to claim 17,
wherein when the images of plural geometry-processed objects are drawn in the intermediate buffer, the intermediate buffer drawing section draws an image of ~~the~~ a K-th object in the intermediate buffer at ~~the~~ a N-th frame and draws an image of ~~the~~ a L-th object

in the intermediate buffer at ~~the~~ a (N+1)-th frame without drawing the image of the K-th object in the intermediate buffer.

19. (Currently Amended) An image generation method for generating an image, comprising steps of:

temporarily drawing an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and

drawing the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer, and

wherein a primitive surface, of which drawing positions are specified based on three-dimensional information of the object and on which the image of the geometry-processed object drawn in the intermediate buffer is texture-mapped, is drawn into the frame buffer.

20. (Canceled).

21. (Currently Amended) The image generation method according to ~~claim~~ 20claim 19,

wherein when a plurality of primitive surfaces corresponding to a plurality of objects are to be drawn into the frame buffer, hidden-surface removal between the primitive surfaces is performed based on the depth values of the respective primitive surfaces.

22. (Currently Amended) The image generation method according to ~~claim~~ 20claim 19,

wherein a plurality of primitive surfaces of which drawing positions are specified based on the three-dimensional information of one object are drawn into the frame buffer, and images texture-mapped over the plurality of primitive surfaces are different from one another.

23. (Currently Amended) ~~The image generation method according to claim 19,~~ An image generation method for generating an image, comprising steps of:

temporarily drawing an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and
drawing the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer, and
_____ wherein a given image effect processing on the image on the intermediate buffer is performed before the image drawn in the intermediate buffer is drawn in the frame buffer.

24. (Currently Amended) ~~The image generation method according to claim 19,~~An image generation method for generating an image, comprising steps of:

temporarily drawing an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and
drawing the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer, and
_____ wherein an image drawn in the intermediate buffer at a present frame is synthesized with another image drawn in the intermediate buffer at a past frame before the image drawn in the intermediate buffer is drawn in the frame buffer.

25. (Currently Amended) ~~The image generation method according to claim 19,~~An image generation method for generating an image, comprising steps of:

temporarily drawing an image of a geometry-processed object in an intermediate buffer in place of drawing the image in a frame buffer; and
drawing the image of the geometry-processed object drawn in the intermediate buffer from the intermediate buffer into the frame buffer, and
_____ wherein an image drawn in the intermediate buffer is synthesized with another image drawn in the frame buffer before the image drawn in the intermediate buffer is drawn in the frame buffer.

26. (Currently Amended) ~~The image generation method according to claim 19,~~An image generation method for generating an image, comprising steps of:
temporarily drawing an image of a geometry-processed object in an intermediate
buffer in place of drawing the image in a frame buffer; and
drawing the image of the geometry-processed object drawn in the intermediate buffer
from the intermediate buffer into the frame buffer, and
wherein the image of the geometry-processed object in the intermediate buffer is
drawn for ~~each discrete frame.~~ each two-frame or each M-frame($M \geq 3$).

27. (Currently Amended) The image generation method according to claim 26,
wherein when the images of plural geometry-processed objects are drawn in the
intermediate buffer, an image of ~~the~~ a K-th object in the intermediate buffer is drawn at ~~the~~ a
N-th frame and an image of ~~the~~ a L-th object in the intermediate buffer is drawn at ~~the~~ a
(N+1)-th frame without drawing the image of the K-th object in the intermediate buffer.